



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product Name(s):** Five Star® Crack Repair SLV/Component A

Synonyms: N/A

Product Use: Concrete Repair

Manufacturer/Supplier: Five Star Products, Inc.  
60 Parrott Drive  
Shelton, CT 06484 USA

Phone #: 203-336-7900

**Emergency Phone #:** CHEM-TEL 1-800-255-3924  
(Outside the U.S. 1-813-248-0585)

## SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION (Component A)

**Classification:** Skin Irritation, Category 2  
Eye Irritation, Category 2A  
Acute Inhalation, Category 1  
Respiratory Sensitizer, Category 1  
Acute aquatic toxicity, Category 2

**Label Elements/Hazard Pictograms:**



**Signal Word:** Danger

**Emergency Overview:** May cause skin sensitization.  
Causes skin and eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Wash skin thoroughly after handling.  
Avoid breathing fume/gas/mist/vapors/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use in a well-ventilated area.

**Primary Route of Exposure:** Eyes, skin, oral

**Carcinogenicity:** This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or suspect carcinogen by NTP, IARC, Prop 65 or OSHA.



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (Component A)

Chemical Name(s)	Common Name/Synonyms	CAS No.	Content %
Polymeric MDI	n/a	9016-87-9	30 - 50
2,2,4 - trimethyl-1, 3-pentanediol diisobutyrate	n/a	6846-50-0	20 - 40
4,4' - Diphenylmethane Diisocyanate	n/a	101-68-8	10 - 20

## SECTION 4: FIRST AID MEASURES (Component A)

<b>Inhalation:</b>	Move to fresh air; give oxygen if breathing is difficult. Call a physician if symptoms persist.
<b>Eye Contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if symptoms persist.
<b>Skin Contact:</b>	Remove contaminated clothing. Wash with mild soap and water. Get medical attention if skin irritation or dermatitis persists.
<b>Ingestion:</b>	Give plenty of water. DO NOT induce vomiting. Call a physician immediately.
<b>Other:</b>	Referral to a physician is recommended if there is any question about the seriousness of the injury/exposure. If sensitization occurs, future contact with the material should be avoided.

## SECTION 5: FIRE-FIGHTING MEASURES (Component A)

<b>Flash Point:</b>	199°C (>390°F)
<b>Flammable Limits:</b>	N/A
<b>Extinguisher Media</b>	Carbon Dioxide, Dry Chemical, Water Fog
<b>Unusual Fire and Explosion Hazard:</b>	None Known. Thermal Decomposition can be formed.
<b>Special Fire Fighting Procedures:</b>	Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters. During a fire, MDI vapors and other irritating, highly toxic gases may be generated by thermal decomposition or combustions (see stability and reactivity). At temperatures greater than 400°F (204°C), isocyanates can polymerize and decompose which can cause pressure build-up in closed containers. Explosive rupture is possible. Therefore, use cold water to cool fire-exposed containers.

## SECTION 6: ACCIDENTAL RELEASE MEASURES (Component A)

<b>Personal Precautions:</b>	Avoid all personal contact. In enclosed areas, cleanup personnel should wear self-contained breathing apparatus.
------------------------------	--



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

**Environmental Precautions:** Absorb isocyanates with sawdust or other absorbent, shovel into suitable unsealed containers, transport to well-ventilated areas (outside) and treat with large amounts of water. Allow to stand uncovered for 48 hours to let CO<sup>2</sup> gas escape. Clean up: Decontaminate floor with water, letting stand for at least 15 minutes.

## SECTION 7: HANDLING AND STORAGE (Component A)

**Handling:** Avoid contact with eyes, skin and clothing. Avoid inhalation of vapors. Use with adequate ventilation. Use appropriate personal protection equipment (Section 8). Wash thoroughly after handling.

**Storage:** Store in a cool dry place away from direct sunlight. Keep from freezing. Recommended storage temperature range in between 18°C and 29°C (65°F and 85°F). DO NOT EXCEED 49°C /120°F.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Component A)

### Exposure Guidelines:

Hazardous Ingredient(s)	CAS No.	OSHA PEL	TLV
4,4' - Diphenylmethane Diisocyanate	13463-67-7	.02 ppm	.005 ppm

**Engineering Measures:** Use local and general exhaust ventilation to maintain airborne concentrations below TLV. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures demand it.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**Eye/Face Protection:** Wear splash proof chemical goggles / full face shield if there is a potential for splashing.

**Skin / Body Protection:** Wear suitable gloves (neoprene, nitrile rubber or PVC) and protective clothing to mitigate exposure.

**Other Protective Clothing or Equipment:** Use protective clothing which is chemical resistant to this material. Safety shoes and boots should also be chemical resistant.

**Respiratory Protection** None normally required. Use a NIOSH approved organic vapor chemical cartridge respirator when air movement is inadequate to control vapor build-up.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Component A)

<b>Physical State:</b>	Liquid
<b>Appearance:</b>	Yellow
<b>Evaporation Rate:</b>	N/D
<b>Odor:</b>	Sweet
<b>Solubility in Water:</b>	Insoluble
<b>Specific Gravity (g/cc):</b>	1.07



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

<b>Vapor Density (air = 1):</b>	N/D
<b>Vapor Pressure:</b>	Less than $1 \times 10^{-5}$ mm Hg @ 77°F (25°C) for MDI
<b>VOC Content:</b>	N/D
<b>Freezing Point:</b>	<0°C (MDI)
<b>pH:</b>	N/D
<b>Boiling Point:</b>	406°F (209°C)

## SECTION 10: STABILITY AND REACTIVITY (Component A)

<b>Stability:</b>	Stable
<b>Thermal Decomposition:</b>	Can yield CO, CO <sub>2</sub> and organic Nitrogen compounds
<b>Incompatibilities:</b>	Strong acids, peroxides and other oxidizing agents
<b>Conditions to avoid:</b>	Exposure to excessive heat and storage above 35°C (95°F) will shorten shelf life.

## SECTION 11: TOXICOLOGICAL INFORMATION (Component A)

<b>Acute Oral Toxicity:</b>	Not determined
<b>Acute Dermal Toxicity:</b>	Not determined
<b>Acute Inhalation Toxicity:</b>	Not determined
<b>Skin Irritation:</b>	Irritating to skin. The product has not been tested. The statement has been derived from the properties of the individual components.
<b>Eye Irritation:</b>	Irritating to eyes. The product has not been tested. The statement has been derived from the properties of the individual components.
<b>Respiratory Irritation:</b>	Inhalation of vapors or mists may cause irritation to the respiratory system.
<b>Sensitization:</b>	May cause allergic skin reaction and irritation to the respiratory system. The product has not been tested. The statement has been derived from the properties of the individual components.
<b>STOT – Single exposure:</b>	Not determined
<b>STOT – Repeated exposure:</b>	Not determined
<b>Carcinogenicity Classification:</b>	No known Carcinogen

## SECTION 12: ECOLOGICAL INFORMATION (Component A)

### Acute Toxicity for -

<b>Fish:</b>	No data available
<b>Aquatic Invertebrates:</b>	48 hours LC50 for Daphnia magna 112 – 150 mg/L



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

**Algae:** No data available

**Microorganisms:** No data available

**Mobility:** Considering the use of the substance, it is unlikely that significant environmental exposure in the air or water will arise.

## SECTION 13: DISPOSAL CONSIDERATIONS (Component A)

If the material as supplied becomes a waste, dispose in accordance with federal, state and local regulations.

## SECTION 14: TRANSPORT INFORMATION (Component A)

This product is not regulated as a hazardous material for transportation.

## SECTION 15: REGULATORY INFORMATION (Component A)

HMIS Rating	
Health	*2
Flammability	1
Physical Hazard	1
PPE	G



**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

### Federal Regulations

### CERCLA RQ

**Sara Title 311/312:** Health Hazard: Acute/Chronic

**CA Prop 65:** None Listed

**TSCA:** Listed or exempt

## SECTION 16: OTHER INFORMATION (Component A)

**Hazard Communication:** This SDS has been prepared in accordance with the Federal OSHA Hazard Communication Standard.

To the best of our knowledge, the information contained herein is accurate. However, Five Star Products, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**Product Name(s):** Five Star® Crack Repair SLV/Component B

Synonyms: N/A

Product Use: Concrete Repair

Manufacturer/Supplier: Five Star Products, Inc.  
60 Parrott Drive  
Shelton, CT 06484 USA

Phone #: 203-336-7900

**Emergency Phone #:** CHEM-TEL 1-800-255-3924  
(Outside the U.S. 1-813-248-0585)

## SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION (Component B)

**Classification:** Skin Irritation, Category 2  
Eye Irritation, Category 2A  
STOT Single, Category 3

**Label Elements/Hazard Pictograms:**



**Signal Word:** Warning

**Emergency Overview:** Causes skin irritation.  
Causes severe eye irritation.  
May cause respiratory irritation.  
May be harmful if inhaled.  
Wash skin thoroughly after handling.  
Avoid breathing fume/gas/mist/vapors/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use in a well-ventilated area.

**Primary Route of Exposure:** Eyes, skin and CNS

**Carcinogenicity:** This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or suspect carcinogen by NTP, IARC, Prop 65 or OSHA.



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (Component B)

Chemical Name(s)	Common Name/Synonyms	CAS No.	Content %
2,2,4-trimethyl-1, 3-pentanediol diisobutyrate	n/a	6846-50-0	30 - 50
N,N,N',N'-Tetrakis (2-Hydroxypropyl) Ethylenediamine	n/a	102-60-3	15 - 30
Polyether Triol	n/a	25791-96-2	10 - 20
1,4-Butanediol	n/a	110-63-4	3 - 7

## SECTION 4: FIRST AID MEASURES (Component B)

<b>Inhalation:</b>	Move to fresh air; give oxygen if breathing is difficult. Call a physician if symptoms persist.
<b>Eye Contact:</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician if symptoms persist.
<b>Skin Contact:</b>	Remove contaminated clothing. Wash with mild soap and water. Get medical attention if skin irritation or dermatitis persists.
<b>Ingestion:</b>	Give plenty of water. DO NOT induce vomiting. Call a physician immediately.
<b>Other:</b>	Referral to a physician is recommended if there is any question about the seriousness of the injury/exposure. If sensitization occurs, future contact with the material should be avoided.

## SECTION 5: FIRE-FIGHTING MEASURES (Component B)

<b>Flash Point:</b>	129°C (265°F)
<b>Flammable Limits:</b>	N/A
<b>Extinguisher Media:</b>	Carbon Dioxide, Dry Chemical, Water Fog
<b>Unusual Fire and Explosion Hazard:</b>	None Known. Thermal Decomposition can be formed.
<b>Special Fire Fighting Procedures:</b>	Full emergency equipment with self-contained breathing apparatus and full protective clothing should be worn by firefighters. During a fire, MDI vapors and other irritating, highly toxic gases may be generated by thermal decomposition or combustions (see stability and reactivity). At temperatures greater than 400°F (204°C), isocyanates can polymerize and decompose which can cause pressure build-up in closed containers. Explosive rupture is possible. Therefore, use cold water to cool fire-exposed containers.

## SECTION 6: ACCIDENTAL RELEASE MEASURES (Component B)

<b>Personal Precautions:</b>	Avoid all personal contact. In enclosed areas, cleanup personnel should wear self-contained breathing apparatus.
------------------------------	--



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

**Environmental Precautions:** Cover spills with sawdust, vermiculite, or other absorbent material to minimize spreading of the material before collecting.

## SECTION 7: HANDLING AND STORAGE (Component B)

**Handling:** Avoid contact with eyes, skin and clothing. Avoid inhalation of vapors. Use with adequate ventilation. Use appropriate personal protection equipment (Section 8). Wash thoroughly after handling.

**Storage:** Store in a cool dry place away from direct sunlight. Keep from freezing. Recommended storage temperature range is between 4°C and 35°C (40°F and 95°F).

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (Component B)

**Engineering Measures:** Use local and general exhaust ventilation to maintain airborne concentrations below TLV. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures demand it.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**Eye/Face Protection:** Wear splash proof chemical goggles / full face shield if there is a potential for splashing.

**Skin / Body Protection:** Wear suitable gloves (neoprene, nitrile rubber or PVC) and protective clothing to mitigate exposure.

**Other Protective Clothing or Equipment:** Use protective clothing which is chemical resistant to this material. Safety shoes and boots should also be chemical resistant.

**Respiratory Protection** None normally required. Use a NIOSH approved organic vapor chemical cartridge respirator when air movement is inadequate to control vapor build-up.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (Component B)

<b>Physical State:</b>	Liquid
<b>Appearance:</b>	Blue Grey
<b>Evaporation Rate:</b>	N/A
<b>Odor:</b>	Slight Odor
<b>Solubility in Water:</b>	Slightly Soluble
<b>Specific Gravity (g/cc):</b>	N/D
<b>Vapor Density (air=1):</b>	Non-Volatile
<b>Vapor Pressure:</b>	0.1 mm Hg @77°F (25°C)
<b>VOC Content:</b>	N/D
<b>Boiling Point:</b>	N/A





# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

<b>pH:</b>	N/D
------------	-----

## SECTION 10: STABILITY AND REACTIVITY (Component B)

<b>Stability:</b>	Stable
<b>Thermal Decomposition:</b>	Can yield CO, CO <sub>2</sub> and organic Nitrogen compounds.
<b>Incompatibilities:</b>	Strong acids, peroxides and other oxidizing agents.
<b>Conditions to Avoid:</b>	Exposure to excessive heat and storage above 35°C (95°F) will shorten shelf life.

## SECTION 11: TOXICOLOGICAL INFORMATION (Component B)

<b>Acute Oral Toxicity:</b>	Not determined
<b>Acute Dermal Toxicity:</b>	Not determined
<b>Acute Inhalation Toxicity:</b>	Not determined
<b>Skin Irritation:</b>	Irritating to skin. The product has not been tested. The statement has been derived from the properties of the individual components.
<b>Eye Irritation:</b>	Severe eye irritation. The product has not been tested. The statement has been derived from the properties of the individual components.
<b>Respiratory Irritation:</b>	Inhalation of vapors or mists may cause irritation to the respiratory system.
<b>Sensitization:</b>	May cause allergic skin reaction and irritation to the respiratory system. The product has not been tested. The statement has been derived from the properties of the individual components.
<b>STOT – Single exposure:</b>	CNS
<b>STOT – Repeated exposure:</b>	No Data Available
<b>Carcinogenicity Classification:</b>	No known Carcinogen

## SECTION 12: ECOLOGICAL INFORMATION (Component B)

<b>Acute Toxicity for -</b>	
<b>Fish:</b>	No data available
<b>Aquatic Invertebrates:</b>	No data available
<b>Algae:</b>	No data available
<b>Microorganisms:</b>	No data available
<b>Mobility:</b>	Considering the use of the substance, it is unlikely that significant environmental exposure in the air or water will arise.



# Safety Data Sheet

Date Revised: 7/9/2015

Supersedes:

## SECTION 13: DISPOSAL CONSIDERATIONS (Component B)

If the material as supplied becomes a waste, dispose in accordance with federal, state and local regulations.

## SECTION 14: TRANSPORT INFORMATION (Component B)

This product is not regulated as a hazardous material for transportation.

## SECTION 15: REGULATORY INFORMATION (Component B)

HMIS Rating	
Health	*1
Flammability	1
Physical Hazard	0
PPE	B

NFPA Rating



**Hazard Rating:** 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

**Federal Regulations:**

**Sara Title 311/312:** Health Hazard: Acute/Chronic

**CA Prop 65:** None Listed

**TSCA:** Listed

## SECTION 16: OTHER INFORMATION (Component B)

**Hazard Communication:** This SDS has been prepared in accordance with the Federal OSHA Hazard Communication Standard.

To the best of our knowledge, the information contained herein is accurate. However, Five Star Products, Inc. does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.