

Date Revised: 08/24/2022

Supersedes: 03/17/2020

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s): Five Star® Waterproofing Liquid

Synonyms: None

Product Use: Latex binder for use in mortar and concrete.

Restrictions on Use: Use per Five Star's product recommendation.

Manufacturer/Supplier Five Star Products, Inc.

2 Enterprise Drive, Suite 303

Shelton, CT 06484 USA

Phone #: 203-336-7900

Emergency Phone #: VelocityEHS 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification: Not Classified

Label Elements/Hazard

Pictograms:

Not Applicable

Signal Word: Not Applicable

Hazard Statements: Not Applicable

Precautionary

Statements/Prevention: Observe good industrial hygiene practices.

Response: If swallowed: Rinse mouth. Do NOT induce Vomiting, P330, P331.

If inhaled: Remove person to fresh air and keep comfortable for

breathing, P340.

If in eyes: Rinse cautiously with water for several minutes, P351. Remove contact lenses, if present and easy to do. Continue rinsing,

P338.

If on skin, wash with plenty of water after handling, P302, P352. If skin irritation or rash occurs, P333: Get medical advice/attention,

P313.

If experiencing respiratory symptoms, P342: Get medical

advice/attention if you feel unwell, P314.

Storage: Keep out of reach of children, P102. Store according to

recommendations in Section 7.

Disposal: Dispose of waste and residues in accordance with local regulatory

requirements.



Date Revised: 08/24/2022

Supersedes: 03/17/2020

Hazards Not Otherwise

Classified: None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Ingredient(s)	Common Name/Synonyms	CAS No.	% wt/wt	
Styrene/butadiene Co-polymer	Not Applicable	009003-55-8	25 - 50	
Water	H₂O	Not Applicable	50 - 75	

SECTION 4: FIRST AID MEASURES

Inhalation: If inhaled: Remove person to fresh air and keep comfortable for

breathing.

If experiencing respiratory symptoms call doctor.

Eye Contact: If in eyes: Rinse cautiously with water for at least 30 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If effects

occur, consult a physician with ophthalmic experience.

Skin Contact: Wash off immediately with soap and plenty of water. Wash contaminated

clothing before reuse. If skin irritation persists, call a physician.

Ingestion: If swallowed: Rinse mouth. Call a physician if symptoms occur.

General Advice: If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Note to Physicians:No specific antidote. Treatment of exposure should be directed at the

control of symptoms and the clinical condition of the patient.

SECTION 5: FIRE-FIGHTING MEASURES

Flammability and Explosion

Information:

This material will not burn until the water has evaporated. Residue can burn. Upon burning, the dry product generates dense black smoke.

MEANS OF EXTINCTION

Suitable Extinguishing Media: To extinguish combustible residues of this product use water fog, carbon

dioxide, dry chemical or foam.

Unsuitable Extinguishing

Media:

None Known

Product of Combustion: Under fire conditions some components of this product may decompose.

The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to : Caron dioxide,

carbon monoxide, dense smoke, organic compounds

Protection of Firefighters: As in any fire, wear self-contained breathing apparatus pressure-

demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



Date Revised: 08/24/2022

Supersedes: 03/17/2020

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Use personal protective equipment. Ensure adequate ventilation. Keep

people from spill.

Personal Precautions: Refer to Section 8.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or

groundwater. Refer to Section 12.

Methods for Containment: Recover spilled material if possible

Methods for Cleanup: Absorb with materials such as clay, sand, sawdust, vermiculite. Collect

in suitable and properly labeled containers. Water may be used for final cleaning of affected area. Wash water should be disposed of in

accordance with local regulations.

Other Information: See Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Handling: Avoid prolonged or repeated contact with skin. Wash Thoroughly after

handling.

Storage: Store between 40°F (4.4°C) and 110°F (43.3°C). May coagulate if

frozen at 0°C (32°F). Material may develop bacteria odor on long term

storage. No safety problems known.

SECTION 8: EXPOSURE CONTORLS/PERSONAL PROTECTION

Exposure Guidelines

Component	CAS No.	ACGIH TLV	OSHA PEL
Styrene-Butadiene polymer	9003-55-8	None established	None established

PEL: Permissible Exposure Limit TLV: Threshold Limit Value **Engineering Controls:** Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Use safety glasses (with side shields).

Hand Protection: Use gloves chemically resistant to this material when prolonged or

frequently repeated contact could occur. Examples of preferred glove barrier materials include: chlorinated polyethylene, polyethylene, ethyl vinyl alcohol laminate ("EVAL"), Polyvinyl chloride ("PVC" or "vinyl"), viton. Examples of acceptable glove barrier materials include: butyl rubber, natural rubber ("latex"), neoprene, nitrile/butadiene rubber ("nitrile" or "NBR"). Avoid gloves made of: Polyvinyl alcohol ("PVA"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant



Date Revised: 08/24/2022

Supersedes: 03/17/2020

workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Skin and Body Protection: Impervious gloves. Impervious clothing.

Respiratory Protection: Respiratory protection should be worn when there is a potential to

exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying

respirators: Particulate filter.

General Hygiene Considerations:

Handle according to established industrial hygiene and safety practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES			
Appearance:	Liquid		
Color:	White		
Odor:	None		
Odor Threshold:	Not Available		
Physical State:	Liquid		
pH:	9.5 – 10.5 estimated		
Melting Point / Freezing Point:	32°F (0°C)		
Initial Boiling Point:	Not Applicable		
Boiling Point:	212°F (100°C)		
Flash Point:	Not Applicable		
Evaporation Rate:	Similar to water		
Flammability (solid, gas):	Not Applicable		
Lower Flammability Limit:	Not Available		
Upper Flammability Limit:	Not Available		
Vapor Pressure:	17.5 mmHg @ 20°C		
Vapor Density:	0.6 (air = 1)		
Relative Density:	0.98 - 1.04		
Solubility:	Visual Miscible with water in all proportions		
Partition Coefficient: n-Octanol/Water:	Not Available		
Auto-ignition Temperature:	Not Applicable		



Date Revised: 08/24/2022

Supersedes: 03/17/2020

Decomposition Temperature:	Not Available
Viscosity:	<500 cSt estimated
Percent Volatile, wt.%:	50-75% as water
VOC Content, wt.%:	< 0.6%
Density:	0.98 - 1.04 g/cc
Coefficient of Water/Oil Distribution:	Not Applicable

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous

Reactions: None under normal processing.

Conditions to Avoid: Can coagulate if frozen. The dry resin is combustible.

Incompatible Materials: Addition of chemicals such as acids or multivalent metal salts, may

cause coagulation.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

Ingestion: Very low toxicity if swallowed. Harmful effects not anticipated from

swallowing small amounts. LD50: >5,000mg/kg (rat)

Aspiration Hazard: Based on physical properties, not likely to be an aspiration hazard.

Dermal: Prolonged skin contact is unlikely to result in absorption of harmful

amounts. For similar material(s): LD50 > 2,000mg/kg (rat)

Inhalation: No adverse effects are anticipated from single exposure to vapor. Mist

may cause irritation of upper respiratory tract (nose and throat). The

LC50 has not been determined.

Eye Damage / Eye Irritation: May cause slight temporary eye irritation. Corneal injury is unlikely.

Skin Corrosion / Irritation: Brief contact is essentially non-irritating to skin. Prolonged contact may

cause slight skin irritation with local redness. Latex may stick to skin

causing irritation upon removal.

Sensitization

Skin: No relevant data found.

Respiratory: No relevant data found.

Repeated Dose Toxicity: No relevant data found.

Chronic Toxicity and

Carcinogenicity:

No relevant data found.

Pevelopmental Toxicity:

No relevant data found.

No relevant data found.

No relevant data found.

No relevant data found.



Date Revised: 08/24/2022

Supersedes: 03/17/2020

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: For similar material(s): Material is practically non-toxic to aquatic

organisms on an acute basis (LC50/EC50/EL50/LL50>100 mg/L in the

most sensitive species tested).

Persistence and Degradability

Bio-accumulative Potential: No bio-concentration of the polymeric component is expected because

of its high molecular weight. Latex dispersions will color water a milky

white.

Mobility in Soil: No relevant data found.

Ecotoxical Effects

Remark: No information available.

Additional Ecological

Information No information available.

General Notes: No further relevant information available.

PBT Assessment: Not Available

vPvB Assessment: Not Available

Other Adverse Effects: No further relevant information available.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Recommendation: This material as supplied is not a hazardous waste according to Federal

regulations (40CFR261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is

processed or otherwise altered.

Uncleaned Packaging Recommendation:

Disposal must be made according to official regulations. Do not re-use

empty containers.



Date Revised: 08/24/2022

Supersedes: 03/17/2020

SECTION 14: TRANSPORT INFORMATION

US DEPARTMENT of TRANSPORTATION (DOT) Proper Shipping Name:

Not Regulated

UN#: Not Applicable

Class: Not Applicable

Packing Group: Not Applicable

CANADA Transportation of Dangerous Goods (TDG) Proper Shipping Name: Not Regulated

UN #: Not Applicable

Class: Not Applicable

Packing Group: Not Applicable

Air Transport (ICAO-

IATA/DGR)

Proper Shipping Name: Not Regulated

UN #: Not Applicable

Class: Not Applicable

Packing Group: Not Applicable

Sea Transport (IMDG-Code/GGVSee) Proper

Shipping Name: Not Regulated

UN #: Not Applicable

Class: Not Applicable

Packing Group: Not Applicable

Marine Pollutant: Not Applicable

Special Provision(s): Not Applicable



Date Revised: 08/24/2022

Supersedes: 03/17/2020

SECTION 15: REGULATORY INFORMATION

CHEMICAL INVENTORIES

US (TSCA): All components of this product are on the TSCA Inventory or are exempt

from TSCA Inventory requirements under 40CFR720.30

CANADA (DSL): All substances contained in this product are listed on the Canadian

Domestic Substances List (DSL) or are not required to be listed.

U.S. FEDERAL REGULATIONS Section 313 of Title III of the Superfund Amendments and

Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and

Title 40 of the CFR, Part 372.

UNITED STATES: This SDS has been prepared to meet the US OSHA Hazard Communication

Standard, 29 CFR 1910.1200

SARA 311/312 Hazard

Categories

Acute health hazard – No

Chronic Health hazard – No

Fire Hazard - No

Sudden Release of Pressure - No

Reactive Hazard - No

US STATE Right to Know

Regulations

Chemical Name	ИJ	MA	PA	IL	RI
None					

California

California Prop 65:

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm at

levels which would require a warning under the statute.

SECTION 16: OTHER INFORMATION

HMIS (Hazardous Material	Health	Flammability	Reactivity	Personal Protection
Information System:	1	0	0	Х, В

Disclaimer: This information is furnished without warranty of any kind, expressed or

implied. Five Star Products, Inc. bases the information and

recommendations in this document on data believed to be current and

accurate.