

Date Revised: 07/29/2022

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s):	Five Star <sup>®</sup> LC Epoxy Grout /Component A formerly Crane Rail Grout
Synonyms:	Epoxy Resin, Component A
Product Use:	For use with Five Star $^{\ensuremath{\mathbb{R}}}$ Epoxy Aggregate and Five Star $^{\ensuremath{\mathbb{R}}}$ Epoxy Hardener
Restrictions on Use:	To be used with specific Five $Star^{(\!8\!)}$ systems.
Manufacturer/Supplier	Five Star Products, Inc. 2 Enterprise Drive Suite 303 Shelton, CT 06484 USA
Phone #:	203-336-7900
Emergency Phone #:	VelocityEHS 1-800-255-3924 (Outside the U.S. 1-813-248-0585)

### SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification:	Skin Irritation, Category 2 Eye Irritation, Category 2A Skin sensitization, Category 1 Acute aquatic toxicity, Category 2
	Chronic aquatic toxicity, Category 2
Label Elements/Hazard Pictograms:	
Signal Word:	Warning
Hazard Statements:	Causes skin irritation, H315 May cause an allergic skin reaction, H317 Caused serious eye irritation, H319 Toxic to aquatic life with long lasting effects, H411
Precautionary Statements/Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray, P261 Wash skin thoroughly after handling, P264 Contaminated work clothing should not be allowed out of the workplace, P272 Avoid release to the environment, P273 Wear protective gloves/eye protection/face protection, P280




Date Revised: 07/29/2022

Supersedes: 04/12/2016

Response:	If in eyes: Rinse cautiously with water for several minutes, P351. Remove contact lenses, if present and easy to do. Continue rinsing, P338, P305, P351 If eye irritation persists: Get medical attention/advice, P337, P313 If on skin (or hair): Wash with plenty of soap and water, P302, P352	
	If on skin (or nair): wash with plenty of soap and water, P302, P352 If swallowed: Rinse mouth. Do NOT induce vomiting, P330, P331.	
	If skin irritation or rash occurs, P333: Get medical advice/attention, P313.	
	Take of contaminated clothing and wash before reuse, P362	
	Collect spillate, P391	
	Get medical advice/attention if you feel unwell, P314	
Storage:	Keep container tightly closed and in a dry well-ventilated space.	
Disposal:	Dispose of contents/container in accordance with applicable regional, national, and local laws and regulations.	
Hazards Not Otherwise Classified:	Not applicable	
Ingredients with Unknown Toxicity:	Not applicable	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous Ingredient(s)	Common Name/Synonyms	CAS No.	% wt/wt
Bisphenol A Diglycidyl Ether Resin Mixture	n/a	25068-38-6	80-90
C8 and C10 Alkyl Glycidly Ethers	n/a	68609-96-1	10-20

SECTION 4: FIRST AID MEASURES	
Inhalation:	If inhaled: Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Consult a physician.
Eye Contact:	If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a physician.
Skin Contact:	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower for at least 15 minutes. Immediately call a poison center or doctor if irritation develops. Wash contaminated clothing before reuse.



SECTION 5: FIRE-FIGHTING MEASURES	
Flammability and Explosion Information:	Not available
Sensitivity to Mechanical Impact:	Not available
MEANS OF EXTINCTION	
Suitable Extinguishing Media:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable Extinguishing Media:	Not available
Protection of Firefighters:	Wear self-contained breathing apparatus for fire-fighting if necessary.

Emergency Procedures:	Uncontrolled releases should be responded to by trained personnel using pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel. Eliminate all ignition sources.
Personal Precautions:	Use personal protective equipment. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. When respirators are required, select NIOSH/MSHA approved based on actual or potential airborne concentrations in accordance with latest OSHA and/or ANSI recommendations.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods for Containment:	Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
Other Information:	See Section 13 for disposal considerations.



Supersedes: 04/12/2016

## SECTION 7: HANDLING AND STORAGE Handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Storage: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Component	CAS No.	ACGIH	OSHA
Bisphenol A Diglycidyl Ether Resin Mixture	25068-38-6	n/a	n/a
C8 and C10 Alkyl Glycidil Ethers	68609-96-1	n/a	n/a

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

### **Engineering Controls:** Not normally required.

#### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Eye/Face Protection:	Face shield and safety glasses. Use equipment for eye protection that meets the standards referenced for OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.
Hand Protection:	Wear protective gloves. Rubber or polyethylene material is recommended. Consult manufacturer specifications for further information.
Skin and Body Protection:	Wear protective clothing. Clothing with full length sleeves and pants should be worn.
General Hygiene Considerations:	Handle according to established industrial hygiene and safety practices. Provide readily accessible eye wash stations and safety showers. Wash at end of shift and before eating, smoking, or using the toilet. Remove contaminated clothing and launder or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Appearance:	Clear light amber liquid
Color:	Light amber
Odor:	Semi Sweet
Odor Threshold:	Not Applicable
Physical State:	Liquid



Date Revised: 07/29/2022

Supersedes: 04/12/2016

pH:	Not Available
Melting Point / Freezing Point:	Not Available
Initial Boiling Point:	Not Available
Boiling Point:	Not Available
Flash Point:	93.4°C, 200°F Setaflash Closed Cup ASTM D 3828
Evaporation Rate:	Not Applicable
Flammability (solid, gas):	Not Applicable
Lower Flammability Limit:	Not Applicable
Upper Flammability Limit:	Not Applicable
Vapor Pressure:	1.33 mbar
Vapor Density:	1 [Air = 1]
Relative Density:	1.10
Solubility:	Slightly
Partition Coefficient: n-Octanol/Water:	Not Applicable
Auto-ignition Temperature:	Not Available
Decomposition Temperature:	Not Available
Viscosity:	1000 cps
Percent Volatile, wt.%:	0%
VOC Content, wt.%:	0%
Density:	1.10 g/cc
Coefficient of Water/Oil Distribution:	Not Applicable

### SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable under normal conditions.
Hazardous decomposition byproducts:	CO, CO <sub>2</sub> , smoke, toxic vapors
Conditions to Avoid:	Amine compounds under uncontrolled conditions.
Incompatible Materials:	Strong oxidizing agents.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### Acute Toxicity:

Primary	Irritant	Effect
On the S	ikin:	

Irritant to skin and mucous membranes.



Supersedes: 04/12/2016

Primary Irritant Effect On the Eye:	Irritating effect.
Swallowing:	Can cause abdominal irritation, nausea, vomiting, and diarrhea.
Additional Toxicological Information:	This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or ACGIH as of this date, greater or equal to 0.1%

SECTION 12: ECOLOGICAL INFORMATION			
Toxicity:	All work practices must be aimed at eliminating environmental contamination.		
Aquatic Toxicity:	This material is harmful to the environment.		
Persistence and Degradability:	The product is partially biodegradable. Significant residue remains.		
<b>Bio-accumulative Potential:</b>	Does not accumulate in organisms.		
Mobility in Soil:	No further relevant information available		
Ecotoxical Effects Remark:	Toxic for fish. Due to mechanical actions of the product damages may occur. The declared action may be partly caused by lack of oxygen.		
Additional Ecological Information:	No further relevant information available		
General Notes:	No further relevant information available		
PBT Assessment:	N/A		
vPvB Assessment:	N/A		
Other Adverse Effects:	No further relevant information available		

### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

**Recommendation:** 

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Care should be taken when handling emptied containers t h a t have not been cleaned or rinsed out. Empty containers and liners may retain some product residues. Vapor from some product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Processing, use or contamination may change the waste disposal requirements. Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with



Date Revised: 07/29/2022

Supersedes: 04/12/2016

	regulations. Large amounts should be collected for reuse or consigned to licensed hazardous waste haulers for disposal. ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT PROPER AGENCIES.
Uncleaned Packaging:	Empty containers may contain residue and may be dangerous. Do not attempt to refill or clean without proper instructions. Empty drums should be drained and stored safely for reconditioning or recycling.
Recommendation:	Disposal must be made according to official regulations.

### **SECTION 14: TRANSPORT INFORMATION**

US DEPARTMENT of TRANSPORTATION (DOT)	
Proper Shipping Name:	NOT REGULATED
Class:	NONE
UN #:	NONE
Packing Group:	NONE
CANADA Transportation of Dangerous Goods (TDG) Proper Shipping Name:	NOT REGULATED
Class:	NONE
UN #:	NONE
Packing Group:	NONE
INTERNATIONAL AIR TRANSPORTATION Proper Shipping Name (ICAO/IATA):	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (BISPHENOL-A EPOXY RESIN), 9, PG III
Class:	9
UN #:	3082
Packing Group:	III
WATER TRANSPORTATION	
Proper Shipping Name (IMO/IMDG):	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS (BISPHENOL-A-EPOXY RESIN), 9, PG III
Class:	9
UN#:	3082
Packing Group:	III
Marine Pollutant:	Bisphenol-A Epoxy Resin



SECTION 15: REGULATORY INFORMATION			
CHEMICAL INVENTORIES			
US (TSCA):	The components of this product are in compliance with the chemical notification requirements of TSCA.		
CANADA (DSL):	The components of this product are in compliance with the chemica notification requirements of NSN Regulations under CEPA, 1999.		
FEDERAL REGULATIONS			
CANADA:	n/a		
WHMIS Classification:	n/a		
UNITED STATES:	This SDS has been prepared to meet the US OSHA Hazard Communication Standard, 29 CFR 1910.1200		
SARA Title III:	No components are listed.		
STATE REGULATIONS			
Massachusetts	US Massachusetts Commonwealth's Right-to-Know Las (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)		
New Jersey	US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)		
Pennsylvania	US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)		
California California Prop 65:	This product does not contain chemicals known to the State of California to be Carcinogenic.		

SECTION 16: OTHER INFORMATION				
HMIS Rating:	Health	Flammability	Physical Hazard	Personal Protection
	2	1	0	В
Disclaimer:	implied.	Five Star Pro	oducts, Inc. bases	of any kind, expressed or the information and lieved to be current and

accurate.