

Date Revised: 11/09/2022

Supersedes: none

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s): Five Star® XP 230 Epoxy Grout/Component A Resin

Synonyms: XP 230 Epoxy Resin

Product Use: For use with Five Star® Epoxy Aggregates and associated Component B

Restrictions on Use: To be used with specific Five Star® systems.

Manufacturer/Supplier Five Star Products, Inc.

> 2 Enterprise Drive, Suite 303 Shelton, CT 06484 USA

Phone #: 203-336-7900

Emergency Phone #: VelocityEHS 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification: Skin Irritation, Category 2

> Eye Irritation, Category 2A Skin sensitization, Category 1 Acute aquatic toxicity, Category 2 Chronic aquatic toxicity, Category 2

Label Elements/Hazard

Pictograms:





Signal Word: Warning

Hazard Statements: H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Avoid breathing dust/fume/gas/mist/vapors/spray, P261.

Precautionary

Statements/Prevention:

Wash skin thoroughly after handling, P264.

Contaminated work clothing should not be allowed out of the workplace,

P272.

Avoid release to the environment, P273.

Wear protective gloves/eye protection/face protection, P280.

If in eyes: Rinse cautiously with water for several minutes, P351. Response:

Remove contact lenses, if present and easy to do. Continue rinsing,



Date Revised: 11/09/2022

Supersedes: none

2338, P305, P351. If eye irritation persists: Get medical

attention/advice, P337, P313.

If on skin (or hair): Wash with plenty of soap and water, P302, P352. If swallowed: Rinse mouth. Do NOT induce vomiting, P330, P331. If skin irritation or rash occurs, P333: Get medical advice/attention,

P313.

Take off contaminated clothing and wash before reuse, P362.

Collect spillage, P391.

Get medical advice/attention if you feel unwell, P314.

Storage: Keep container tightly closed and in a dry well-ventilated space.

Disposal: Dispose of contents/container in accordance with applicable regional,

national, and local laws and regulations.

Hazards Not Otherwise

Classified: Not applicable

Ingredients with Unknown

Toxicity: Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredient(s)	Common Name/Synonyms	CAS No.	% wt/wt	
Bisphenol F / Epichlorohydrin Epoxy Resin	Not Available	54208-63-8	0 - 80	
Aliphatic Epoxide	Not Available	Trade Secret	10 - 30	
Bisphenol A / Epichlorohydrin Epoxy Resin	Not Available	25068-38-6	0 - 60	

SECTION 4: FIRST AID MEASURES

Inhalation: If inhaled: Remove person to fresh air and keep comfortable for

breathing. If not breathing, give artificial respiration. Consult a

physician.

Eye Contact: If in eyes: Rinse cautiously with water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Consult a

physician.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower for at least 15 minutes. Immediately call a poison center or doctor if irritation develops. Wash contaminated clothing

before reuse.



Date Revised: 11/09/2022

Supersedes: none

Ingestion: If swallowed: Rinse mouth. Call POISON CENTER for most current

information. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an

unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice immediately

(show the label or SDS where possible). First Aid responders should pay attention to self-protection and use recommended protective clothing

(chemical resistant gloves, splash protection).

Note to Physicians: Symptoms may not appear immediately. Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Flammability and Explosion

Information: Not available

Sensitivity to Mechanical

Impact: Not available

MEANS OF EXTINCTION

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical, or carbon

dioxide.

Unsuitable Extinguishing

Media: Not available

Protection of Firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Uncontrolled releases should be responded to by trained personnel using

pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond

with trained personnel. Eliminate all ignition sources.

Personal Precautions: Use personal protective equipment. Avoid breathing vapors, mist, or gas.

Ensure adequate ventilation. When respirators are required, select NIOSH/MSHA approved based on actual or potential airborne concentrations in accordance with latest OSHA and/or ANSI

recommendations.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product

enter drains. Discharge into the environment must be avoided.

Methods for Containment: Soak up with inert absorbent material and dispose of as hazardous

waste. Keep in suitable, closed containers for disposal.

Other Information: See Section 13 for disposal considerations.



Date Revised: 11/09/2022

Supersedes: none

SECTION 7: HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Storage: Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright

to prevent leakage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	CAS No.	ACGIH	OSHA
Bisphenol F / Epichlorohydrin Epoxy Resin	54208-63-8	No TLV Established	No PEL Established
Aliphatic Epoxide	itic Epoxide Trade Secret		No PEL Established
Bisphenol A / Epichlorohydrin Epoxy Resin	25068-38-6	No TLV Established	No PEL Established

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Face shield and safety glasses. Use equipment for eye protection that

meets the standards referenced for OSHA regulations in 29 CFR

1910.133 for Personal Protective Equipment.

Wear protective gloves. Rubber or polyethylene material is **Hand Protection:**

recommended. Consult manufacturer specifications for further

information.

Wear protective clothing. Clothing with full length sleeves and pants **Skin and Body Protection:**

should be worn.

General Hygiene Handle according to established industrial hygiene and safety practices. Considerations:

Provide readily accessible eye wash stations and safety showers. Wash

at end of shift and before eating, smoking, or using the toilet. Remove

contaminated clothing and launder or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
Appearance:	Clear liquid	
Color:	Yellow	
Odor:	Aromatic	
Odor Threshold:	Not Available	



Date Revised: 11/09/2022

Supersedes: none

Physical States	1::4	
Physical State:	Liquid	
pH:	Not Applicable	
Melting Point / Freezing Point:	Not Available	
Initial Boiling Point:	Not Available	
Boiling Point:	>138°C (280°F)	
Flash Point:	>121°C (250°F)	
Evaporation Rate:	Not Applicable	
Flammability (solid, gas):	Not Available	
Lower Flammability Limit:	Not Available	
Upper Flammability Limit:	Not Available	
Vapor Pressure:	Not Available	
Vapor Density:	Not Available	
Relative Density:	1.13	
Solubility:	Insoluble	
Partition Coefficient: n-Octanol/Water:	Not Available	
Auto-ignition Temperature:	Not Available	
Decomposition Temperature:	Not Available	
Viscosity:	500 – 1,500 cps	
Percent Volatile, wt.%:	0%	
VOC Content, wt.%:	0%	
Density:	1.13 g/cc	
Coefficient of Water/Oil Distribution:	Not Available	

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions. **Hazardous decomposition**

byproducts:

CO, CO₂, smoke, toxic vapors

Conditions to Avoid: Amine compounds under uncontrolled conditions.

Incompatible Materials: Strong oxidizing agents.



Date Revised: 11/09/2022

Supersedes: none

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity

Primary Irritant Effect

On the Skin: Irritant to skin and mucous membranes.

Primary Irritant Effect

On the Eye: Irritating effect.

Swallowing: Can cause abdominal irritation, nausea, vomiting, and diarrhea.

Additional Toxicological

This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or Information:

ACGIH as of this date, greater or equal to 0.1%

SECTION 12: ECOLOGICAL INFORMATION

Toxicity: All work practices must be aimed at eliminating environmental

contamination.

Aquatic Toxicity: This material is harmful to the environment.

Persistence and Degradability:

The product is partially biodegradable. Significant residue remains.

Bio-accumulative Potential: Does not accumulate in organisms.

Mobility in Soil: No further relevant information available

Ecotoxical Effects Remark:

Toxic for fish. Due to mechanical actions of the product damages may occur. The declared action may be partly caused by lack of oxygen.

Additional Ecological

Information: No further relevant information available **General Notes:** No further relevant information available

PBT Assessment: Not available **vPvB** Assessment: Not available

Other Adverse Effects: No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Recommendation: The generation of waste should be avoided or minimized wherever

> possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers and liners may retain some product residues. Vapor from some product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut,



Date Revised: 11/09/2022

Supersedes: none

weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Processing, use or contamination may change the waste disposal requirements. Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with regulations. Large amounts should be collected for reuse or consigned to licensed hazardous waste haulers for disposal.

ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT PROPER AGENCIES.

Uncleaned Packaging: Empty containers may contain residue and may be dangerous. Do not

attempt to refill or clean without proper instructions. Empty drums should be drained and stored safely for reconditioning or recycling.

Recommendation: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

US DEPARTMENT of TRANSPORTATION (DOT)

Proper Shipping Name: Not Regulated

Class: None UN #: None

Packing Group: None

CANADA Transportation of Dangerous Goods (TDG)

Proper Shipping Name: Not regulated

Class: None UN #: None **Packing Group:** None

INTERNATIONAL AIR

TRANSPORTATION Proper UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS Shipping Name (ICAO/IATA): (EPOXY RESIN), 9, PG III

9 Class:

UN #: 3082

Packing Group: III

WATER TRANSPORTATION **Proper Shipping Name**

(IMO/IMDG):

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS

(EPOXY RESIN), 9, PG III

9 Class:

3082 UN#:



Date Revised: 11/09/2022

Supersedes: none

Packing Grout: III

Marine Pollutant: Epoxy Resin

SECTION 15: REGULATORY INFORMATION

CHEMICAL INVENTORIES

US (TSCA): The components of this product are in compliance with the chemical

notification requirements of TSCA.

CANADA (DSL): The components of this product are in compliance with the chemical

notification requirements of NSN Regulations under CEPA, 1999.

FEDERAL REGULATIONS

CANADA: This product has been classified in accordance with the hazard criteria of

> the Controlled Products Regulations and this Safety Data Sheet contains all the information required by the Controlled Products Regulations.

WHMIS Classification: Class D1B - Toxic material

Class D2B - Skin sensitization

This SDS has been prepared to meet the US OSHA Hazard Communication **UNITED STATES:**

Standard, 29 CFR 1910.1200

SARA Title III: No components are listed.

STATE REGULATIONS

Massachusetts: US Massachusetts Commonwealth's Right-to-Know Las (Appendix A to

105 Code of Massachusetts Regulations Section 670.000)

New Jersey: US New Jersey Worker and Community Right-to-Know Act (New Jersey

Statute Annotated Section 34:5A-5)

Pennsylvania: US Pennsylvania Worker and Community Right-to-Know Law (34 Pa.

Code Chap. 301-323)

This product contains, or may contain, the following Proposition 65 California chemicals: California Prop 65:

Chemical Name: Epichlorohydrin, CAS No. 106-89-8, CA Prop 65:

Carcinogen, may contain trace amounts (<0.1%)

Chemical Name: Bisphenol A, CAS No. 80-05-7, CA Prop 65: Birth

defects or other reproductive harm – female, may contain <1%

Chemical Name: Epichlorohydrin, CAS No. 106-89-8, CA Prop 65: Birth defects or other reproductive harm - male, may contain trace amounts

(<0.1%)



Date Revised: 11/09/2022

Supersedes: none

SECTION 16: OTHER INFORMATION

HMIS (Hazardous Material Information System:

Health	Flammability	Physical Hazard	Personal Protection
2	1	0	X, B

Disclaimer:

This information is furnished without warranty of any kind, expressed or implied. Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and accurate.