

Date Revised: 10/02/2023

Supersedes: 08/24/2022

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name(s): Five Star® DP Epoxy Grout - Nuclear/Component A Resin

Five Star® DP Epoxy Grout High Flow -

Nuclear/Component A Resin

Synonyms: Epoxy Resin, Component A

Product Use: For use with Five Star Epoxy Aggregate and Five Star Epoxy Hardener

in nuclear safety application zones.

Restrictions on Use: To be used with specific Five Star® systems.

Manufacturer/Supplier Five Star Products, Inc.

2 Enterprise Drive, Suite 303

Shelton, CT 06484 USA

Phone #: 203-336-7900

Emergency Phone #: VelocityEHS 1-800-255-3924

(Outside the U.S. 1-813-248-0585)

SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

Classification: Skin Irritation, Category 2

Eye Irritation, Category 2A Skin sensitization, Category 1 Acute aquatic toxicity, Category 2 Chronic aquatic toxicity, Category 2

Label Elements/Hazard

Pictograms:





Signal Word: Warning

Hazard Statements: Causes skin irritation, H315

May cause an allergic skin reaction, H317 Causes serious eye irritation, H319

Toxic to aquatic life, H401

Toxic to aquatic life with long lasting effects, H411



Date Revised: 10/02/2023

Supersedes: 08/24/2022

Precautionary Avoid breathing dust/fume/gas/mist/vapors/spray, P261

Statements/Prevention: Wash skin thoroughly after handling, P264

Contaminated work clothing should not be allowed out of the workplace,

P272

Avoid release to the environment, P273

Wear protective gloves/eye protection/face protection, P280

Response: If in eyes: Rinse cautiously with water for several minutes, P351.

Remove contact lenses, if present and easy to do. Continue rinsing,

P338, P305, P351 If eye irritation persists: Get medical

attention/advice, P337, P313

If on skin (or hair): Wash with plenty of soap and water, P302, P352 If swallowed: Rinse mouth. Do NOT induce vomiting, P330, P331. If skin irritation or rash occurs, P333: Get medical advice/attention,

P313.

Take of contaminated clothing and wash before reuse, P362

Collect spillate, P391

Get medical advice/attention if you feel unwell, P314

Storage: Keep container tightly closed and in a dry well-ventilated space.

Disposal: Dispose of contents/container in accordance with applicable regional,

national, and local laws and regulations.

Hazards Not Otherwise

Classified: Not applicable

Ingredients with Unknown

Toxicity: Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
Hazardous Ingredient(s)	Common Name/Synonyms	CAS No.	% wt/wt	
Bisphenol A Diglycidyl Ether Resin Mixture	n/a	25068-38-6	80-90	
C8 and C10 Alkyl Glycidly Ethers	n/a	68609-96-1	10-20	

SECTION 4: FIRST AID MEASURES

Inhalation: If inhaled: Remove person to fresh air and keep comfortable for

breathing. If not breathing, give artificial respiration.

Consult a physician.



Date Revised: 10/02/2023

Supersedes: 08/24/2022

Eye Contact: If in eyes: Rinse cautiously with water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Consult a

physician.

Skin Contact: If on skin (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower for at least 15 minutes. Immediately call a poison center or doctor if irritation develops. Wash contaminated

clothing before reuse.

Ingestion: If swallowed: Rinse mouth. Call POISON CENTER for most current

information. Do NOT induce vomiting. Immediately call a poison center or doctor. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Never give anything by mouth to an

unconscious person.

General Advice: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible). First Aid responders should pay attention to self-protection and use

recommended protective clothing (chemical resistant gloves, splash

protection).

Note to Physicians: Symptoms may not appear immediately. Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Flammability and Explosion

Information: Not available

Sensitivity to Mechanical

Impact: Not available

MEANS OF EXTINCTION

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable Extinguishing

Media: Not available

Protection of Firefighters: Wear self-contained breathing apparatus for fire-fighting if necessary.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures: Uncontrolled releases should be responded to by trained personnel

using pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel. Eliminate all ignition sources.

Personal Precautions: Use personal protective equipment. Avoid breathing vapors, mist, or

gas. Ensure adequate ventilation. When respirators are required, select

NIOSH/MSHA approved based on actual or potential airborne concentrations in accordance with latest OSHA and/or ANSI

recommendations.



Date Revised: 10/02/2023

Supersedes: 08/24/2022

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product

enter drains. Discharge into the environment must be avoided.

Methods for Containment: Soak up with inert absorbent material and dispose of as hazardous

waste. Keep in suitable, closed containers for disposal.

Other Information: See Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Storage: Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept

upright to prevent leakage.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	CAS No.	ACGIH (TLV)	OSHA (PEL)
Bisphenol A Diglycidyl Ether Resin Mixture	25068-38-6	Not Established	Not Established
C8 and C10 Alkyl Glycidil Ethers	68609-96-1	Not Established	Not Established

PEL: Permissible Exposure Limit TLV: Threshold Limit Value

Engineering Controls: Not normally required.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eye/Face Protection: Face shield and safety glasses. Use equipment for eye protection that

meets the standards referenced for OSHA regulations in 29 CFR

1910.133 for Personal Protective Equipment.

Hand Protection: Wear protective gloves. Rubber or polyethylene material is

recommended. Consult manufacturer specifications for further

information.

Skin and Body Protection: Wear protective clothing. Clothing with full length sleeves and pants

should be worn.

General Hygiene Considerations:

Handle according to established industrial hygiene and safety practices. Provide readily accessible eye wash stations and safety showers. Wash

at end of shift and before eating, smoking, or using the toilet. Remove

contaminated clothing and launder or discard.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES



Date Revised: 10/02/2023

Supersedes: 08/24/2022

Appearance:	Clear light amber liquid
Color:	Light amber
Odor:	Semi Sweet
Odor Threshold:	N/A
Physical State:	Liquid
рН:	Not available
Melting Point / Freezing Point:	Not available
Initial Boiling Point:	Not available
Boiling Point:	Not available
Flash Point:	93.4 °C, 200 °F Setaflash Closed Cup ASTM D 3828
Evaporation Rate:	N/A
Flammability (solid, gas):	N/A
Lower Flammability Limit:	N/A
Upper Flammability Limit:	N/A
Vapor Pressure:	1.33 mbar
Vapor Density:	1 [Air = 1]
Relative Density:	1.10
Solubility:	Slightly
Partition Coefficient: n-Octanol/Water:	N/A
Auto-ignition Temperature:	Not available
Decomposition Temperature:	Not available
Viscosity:	1000 cps
Percent Volatile, wt.%:	0%
VOC Content, wt.%:	0%
Density:	N/A
Coefficient of Water/Oil Distribution:	N/A

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions.

Hazardous decomposition

byproducts: CO, CO₂, smoke, toxic vapors

Conditions to Avoid: Amine compounds under uncontrolled conditions.

Incompatible Materials: Strong oxidizing agents.



Date Revised: 10/02/2023

Supersedes: 08/24/2022

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity:

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Bisphenol A Diglycidyl	>5,000.00, Rat	20,000.00, Rabbit	No Data	No Data	No Data
Ether Resin Mixture	Category: N/A	Category: N/A	Available	Available	Available

Primary Irritant Effect

On the Skin: Irritant to skin and mucous membranes.

Primary Irritant Effect

Irritating effect. On the Eye:

Swallowing: Can cause abdominal irritation, nausea, vomiting, and diarrhea.

Additional Toxicological

This product has no carcinogens listed by IARC, NTP, NIOSH, OSHA, or Information:

ACGIH as of this date, greater or equal to 0.1%

SECTION 12: ECOLOGICAL INFORMATION

Toxicity: All work practices must be aimed at eliminating environmental

contamination.

Aquatic Toxicity: This material is harmful to the environment.

Persistence and

Degradability: The product is partially biodegradable. Significant residue remains.

Bio-accumulative Potential: Does not accumulate in organisms.

No further relevant information available **Mobility in Soil:**

Ecotoxical Effects Toxic for fish. Due to mechanical actions of the product damages may

occur. The declared action may be partly caused by lack of oxygen. Remark:

Additional Ecological

Information: No further relevant information available **General Notes:** No further relevant information available

PBT Assessment: N/A



Date Revised: 10/02/2023

Supersedes: 08/24/2022

vPvB Assessment: N/A

Other Adverse Effects: No further relevant information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Recommendation: The generation of waste should be avoided or minimized wherever

possible. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Care should be taken when handling emptied containers t h a t have not been cleaned or rinsed out. Empty containers and liners may retain some product residues. Vapor from some product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers.

Processing, use or contamination may change the waste disposal requirements. Do not dispose of on land, in surface waters, or in storm drains. Waste should be recycled or disposed of in accordance with regulations. Large amounts should be collected for reuse or consigned

to licensed hazardous waste haulers for disposal.

ALL DISPOSAL MUST BE IN ACCORDANCE WITH ALL FEDERAL, STATE, PROVINCIAL, AND LOCAL REGULATIONS. IF IN DOUBT, CONTACT

PROPER AGENCIES.

Uncleaned Packaging: Empty containers may contain residue and may be dangerous. Do not

> attempt to refill or clean without proper instructions. Empty drums should be drained and stored safely for reconditioning or recycling.

Recommendation: Disposal must be made according to official regulations.

SECTION 14: TRANSPORT INFORMATION

US DEPARTMENT of TRANSPORTATION (DOT)

Proper Shipping Name: NOT REGULATED

Class: NONE

UN #: NONE

Packing Group: NONE

INTERNATIONAL AIR

TRANSPORTATION Proper

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS Shipping Name (ICAO/IATA):

(BISPHENOL-A EPICHLORHYDRIN RESIN), 9, PG III

9 Class:



Date Revised: 10/02/2023

Supersedes: 08/24/2022

UN #: 3082

Packing Group: III

WATER TRANSPORTATION

Proper Shipping Name (IMO/IMDG):

UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, NOS

(BISPHENOL-A-EPOXY RESIN), 9, PG III

9

3082 Class: UN#: III

Packing Group: Bisphenol-A Epichlorhydrin Resin

Marine Pollutant:

SECTION 15: REGULATORY INFORMATION

CHEMICAL INVENTORIES

US (TSCA): The components of this product are in compliance with the chemical

notification requirements of TSCA.

The components of this product are in compliance with the chemical CANADA (DSL):

notification requirements of NSN Regulations under CEPA, 1999.

FEDERAL REGULATIONS

CANADA: n/a

WHMIS Classification: n/a

This SDS has been prepared to meet the US OSHA Hazard **UNITED STATES:**

Communication Standard, 29 CFR 1910.1200

SARA Title III: No components are listed.

STATE REGULATIONS

Massachusetts US Massachusetts Commonwealth's Right-to-Know Las (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

New Jersey US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

Pennsylvania US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

California This product contains the following Proposition 65 chemicals:

California Prop 65: Chemical Name: Epichlorohydrin, CAS No. 106-89-8, CA Prop 65:

Carcinogen, May contain trace amounts (<0.1%)

Chemical Name: Bisphenol A, CAS No. 80-05-7, CA Prop 65: Birth defects or other reproductive harm - female, contains <1%



Date Revised: 10/02/2023

Supersedes: 08/24/2022

Chemical Name: Epichlorohydrin, CAS No. 106-89-8, CA Prop 65: Birth

defects or other reproductive harm – male, contains <0.1%

SECTION 16: OTHER INFORMATION

HMIS (Hazardous Material Information System:

Health	Flammability	Physical Hazard	Personal Protection
2	1	0	Х, В

Disclaimer:

This information is furnished without warranty of any kind, expressed or implied. Five Star Products, Inc. bases the information and recommendations in this document on data believed to be current and accurate.